

# Safety Data Sheet

Material Name: Manus Bond 52AC

SDS ID: MAN-013

## Section 1 - PRODUCT AND COMPANY IDENTIFICATION

### Material Name

Manus Bond 52AC

### Product Use

adhesives. sealant.

### Restrictions on Use

None known.

### Details of the supplier of the safety data sheet

Manus Products, Inc.

866 Industrial Blvd. West

Waconia, MN 55387

Phone: (952) 442-3323

Emergency Phone #: (800) 424-9300

## Section 2 - HAZARDS IDENTIFICATION

### Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Flammable Liquids - Category 3

Aspiration Hazard - Category 2

Acute Toxicity - Inhalation - Vapor - Category 4

Germ Cell Mutagenicity - Category 1B

Carcinogenicity - Category 1A

Specific Target Organ Toxicity - Single Exposure - Category 1 ( respiratory system )

### GHS Label Elements

#### Symbol(s)



### Signal Word

Danger

### Hazard Statement(s)

Flammable liquid and vapor.

May be harmful if swallowed and enters airways.

Harmful if inhaled.

May cause genetic defects.

May cause cancer.

Causes damage to organs.

### Precautionary Statement(s)

#### Prevention

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep container tightly closed.

Keep away from heat/sparks/open flame/hot surfaces - No smoking.

Ground/Bond container and receiving equipment.

# Safety Data Sheet

Material Name: Manus Bond 52AC

SDS ID: MAN-013

Use explosion-proof electrical/ventilating/lighting equipment.  
Take precautionary measures against static discharge.  
Use only non-sparking tools.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Do not breathe dust/fume/gas/mist/vapors/spray.  
Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.

## Response

In case of fire: Use appropriate media to extinguish.  
If exposed: Call a POISON CENTER or doctor/physician.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.  
IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
Do NOT induce vomiting.  
Call a POISON CENTER or doctor if you feel unwell.  
Specific treatment (see label).

## Storage

Store in a well-ventilated place. Keep cool.  
Store locked up.

## Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

## Statement(s) of Unknown Acute Toxicity

Inhalation 55% of the mixture consists of ingredient(s) of unknown acute toxicity.

## Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
1317-65-3	Calcium carbonate	30-60
64742-48-9	Naphtha, petroleum, hydrotreated heavy	30-60
14807-96-6	Talc	1-5
13463-67-7	Titanium dioxide	0.1-1
1333-86-4	Carbon black	<0.1

## Section 4 - FIRST AID MEASURES

### Inhalation

IF INHALED: If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

### Skin

IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.  
Take off contaminated clothing and wash before reuse.

### Eyes

# Safety Data Sheet

Material Name: Manus Bond 52AC

SDS ID: MAN-013

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

## **Ingestion**

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

## **Most Important Symptoms/Effects**

### **Acute**

Harmful if inhaled. May cause skin, eye, and/or respiratory irritation. May be harmful if swallowed and enters airways. Causes damage to organs.

### **Delayed**

May cause genetic defects. May cause cancer.

## **Section 5 - FIRE FIGHTING MEASURES**

### **Extinguishing Media**

#### **Suitable Extinguishing Media**

Use carbon dioxide, regular dry chemical, regular foam or water.

#### **Unsuitable Extinguishing Media**

Do not use high-pressure water streams.

#### **Special Hazards Arising from the Chemical**

Flammable liquid and vapor. Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

#### **Hazardous Combustion Products**

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

#### **Advice for firefighters**

Heating may cause an explosion. Containers may rupture or explode.

#### **Fire Fighting Measures**

Keep away from sources of ignition - No smoking Move material from fire area if it can be done without risk Avoid inhalation of vapors or combustion by-products. Dike for later disposal. Stay upwind and keep out of low areas.

#### **Special Protective Equipment and Precautions for Firefighters**

A positive-pressure, self-contained breathing apparatus (SCBA) and full-body protective equipment are required for fire emergencies.

## **Section 6 - ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment and Emergency Procedures**

Wear personal protective clothing and equipment, see Section 8.

#### **Methods and Materials for Containment and Cleaning Up**

Keep unnecessary people away, isolate hazard area and deny entry. In case of spillage, stop the flow of material and block any potential routes to water systems. Only personnel trained for the hazards of this material should perform clean up and disposal.

#### **Environmental Precautions**

Do not flush into sanitary sewer systems, drains or surface water. Avoid release to the environment.

## **Section 7 - HANDLING AND STORAGE**

### **Precautions for Safe Handling**

Keep away from heat, sparks, and flames. Keep away from all ignition sources. Do not handle until all safety precautions have been read and understood. Avoid contact with eyes and skin. Do not eat, drink or smoke when using this product. Always wear recommended personal protective equipment. Wear personal protective clothing and equipment, see Section 8. Take precautionary measures against static discharge.

# Safety Data Sheet

**Material Name: Manus Bond 52AC**

**SDS ID: MAN-013**

**Conditions for Safe Storage, Including any Incompatibilities**

Store in a well-ventilated place. Keep cool.

Store locked up.

Store in a cool dry place. Store in a well-ventilated area. Keep separated from incompatible substances. Keep container tightly closed. Empty containers may contain product residue. Store and handle in accordance with all current regulations and standards. Avoid contact with temperatures above 120 C.

**Incompatible Materials**

Strong oxidizer.

**Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Component Exposure Limits**

<b>Calcium carbonate</b>	<b>1317-65-3</b>
NIOSH:	10 mg/m3 TWA total dust ; 5 mg/m3 TWA respirable dust
OSHA (US):	15 mg/m3 TWA total dust ; 5 mg/m3 TWA respirable fraction
Mexico:	10 mg/m3 TWA VLE-PPT
	20 mg/m3 STEL [PPT-CT ]
<b>Talc</b>	<b>14807-96-6</b>
ACGIH:	2 mg/m3 TWA particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter
NIOSH:	2 mg/m3 TWA (containing no Asbestos and <1% Quartz ) respirable dust
	1000 mg/m3 IDLH (containing no asbestos and <1% quartz )
OSHA (US):	20 mppcf TWA (if 1% Quartz or more use Quartz limit )
Mexico:	2 mg/m3 TWA VLE-PPT respirable fraction
<b>Titanium dioxide</b>	<b>13463-67-7</b>
ACGIH:	10 mg/m3 TWA
NIOSH:	2.4 mg/m3 TWA (CIB 63 ) fine ; 0.3 mg/m3 TWA (CIB 63 ) ultrafine, including engineered nanoscale
	5000 mg/m3 IDLH
OSHA (US):	15 mg/m3 TWA total dust
Mexico:	10 mg/m3 TWA VLE-PPT as Ti
	20 mg/m3 STEL [PPT-CT ] as Ti

# Safety Data Sheet

Material Name: Manus Bond 52AC

SDS ID: MAN-013

<b>Carbon black</b>	<b>1333-86-4</b>
ACGIH:	3 mg/m3 TWA inhalable particulate matter
NIOSH:	3.5 mg/m3 TWA ; 0.1 mg/m3 TWA (Carbon black in presence of Polycyclic aromatic hydrocarbons ) as PAH
	1750 mg/m3 IDLH
OSHA (US):	3.5 mg/m3 TWA
Mexico:	3.5 mg/m3 TWA VLE-PPT
	7 mg/m3 STEL [PPT-CT ]

**ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)**

There are no biological limit values for any of this product's components.

**Engineering Controls**

Ventilation equipment should be explosion-resistant if explosive concentrations of material are present. Provide local exhaust or process enclosure ventilation system.

**Individual Protection Measures, such as Personal Protective Equipment**

**Eye/face protection**

Wear splash resistant safety goggles with a faceshield.

**Respiratory Protection**

Selection and use of respiratory protective equipment should be in accordance in the USA with OSHA General Industry Standard 29 CFR 1910.134; or in Canada with CSA Standard Z94.4.

**Glove Recommendations**

Wear appropriate chemical resistant gloves.

**Protective Materials**

Wear appropriate chemical resistant clothing.

**Section 9 - PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance</b>	paste	<b>Physical State</b>	liquid
<b>Odor</b>	petroleum odor	<b>Color</b>	Not available
<b>Odor Threshold</b>	Not available	<b>pH</b>	Not available
<b>Melting Point</b>	Not available	<b>Boiling Point</b>	155 - 217 °C (Naphtha (petroleum), hydrotreated heavy )
<b>Boiling Point Range</b>	Not available	<b>Freezing point</b>	Not available
<b>Evaporation Rate</b>	Not available	<b>Flammability (solid, gas)</b>	Not available
<b>Autoignition Temperature</b>	Not available	<b>Flash Point</b>	40 - 60 °C (Naphtha (petroleum), hydrotreated heavy )
<b>Lower Explosive</b>	Not available	<b>Decomposition temperature</b>	Not available

# Safety Data Sheet

Material Name: Manus Bond 52AC

SDS ID: MAN-013

<b>Limit</b>			
<b>Upper Explosive Limit</b>	Not available	<b>Vapor Pressure</b>	(Heavier than air )
<b>Vapor Density (air=1)</b>	Not available	<b>Specific Gravity (water=1)</b>	1.1 - 1.4
<b>Water Solubility</b>	(negligible )	<b>Partition coefficient: n-octanol/water</b>	Not available
<b>Viscosity</b>	(varies )	<b>Kinematic viscosity</b>	Not available
<b>Solubility (Other)</b>	Not available	<b>Density</b>	1.26 (approximate )
<b>Physical Form</b>	paste	<b>VOC</b>	110 g/l
<b>Molecular Weight</b>	Not available		

## Section 10 - STABILITY AND REACTIVITY

**Reactivity**

No reactivity hazard is expected.

**Chemical Stability**

Stable at normal temperatures and pressure.

**Possibility of Hazardous Reactions**

Will not polymerize.

**Conditions to Avoid**

Avoid heat, flames, sparks and other sources of ignition. Avoid contact with incompatible materials. Avoid contact with temperatures above 120 C.

**Incompatible Materials**

Strong oxidizer.

**Hazardous decomposition products**

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

## Section 11 - TOXICOLOGICAL INFORMATION

**Information on Likely Routes of Exposure**

**Inhalation**

Harmful if inhaled. May cause respiratory irritation.

**Skin Contact**

May cause skin irritation.

**Eye Contact**

May cause eye irritation.

**Ingestion**

May be harmful if swallowed and enters airways.

**Acute and Chronic Toxicity**

**Component Analysis - LD50/LC50**

# Safety Data Sheet

**Material Name: Manus Bond 52AC**

**SDS ID: MAN-013**

The components of this material have been reviewed in various sources and the following selected endpoints are published:

**Naphtha, petroleum, hydrotreated heavy (64742-48-9)**

Oral LD50 Rat >6000 mg/kg (no deaths occurred )

Dermal LD50 Rabbit >3160 mg/kg

Inhalation LC50 Rat >8500 mg/m<sup>3</sup> 4 h

**Titanium dioxide (13463-67-7)**

Oral LD50 Rat >10000 mg/kg

**Carbon black (1333-86-4)**

Oral LD50 Rat >15400 mg/kg

**Product Toxicity Data**

**Acute Toxicity Estimate**

Dermal	> 2000 mg/kg
Inhalation - Vapor	11 mg/L
Oral	> 2000 mg/kg

**Immediate Effects**

Harmful if inhaled. May cause skin, eye, and/or respiratory irritation. May be harmful if swallowed and enters airways.

**Delayed Effects**

May cause genetic defects. May cause cancer.

**Irritation/Corrosivity Data**

May cause skin, eye, and/or respiratory irritation.

**Respiratory Sensitization**

No information on significant adverse effects.

**Dermal Sensitization**

No information on significant adverse effects.

**Component Carcinogenicity**

<b>Talc</b>	<b>14807-96-6</b>
ACGIH:	A4 - Not Classifiable as a Human Carcinogen (containing no asbestos fibers )
IARC:	Monograph 93 [2010] (inhaled ) ; Supplement 7 [1987] ; Monograph 42 [1987] (Group 3 (not classifiable))
DFG:	Category 3B (could be carcinogenic for man ;free of asbestos fibers )
<b>Titanium dioxide</b>	<b>13463-67-7</b>
ACGIH:	A4 - Not Classifiable as a Human Carcinogen
IARC:	Monograph 93 [2010] ; Monograph 47 [1989] (Group 2B (possibly carcinogenic to humans))
DFG:	Category 3A (could be carcinogenic for man ;inhalable fraction with the exception of ultra small particles )
OSHA:	Present

# Safety Data Sheet

**Material Name: Manus Bond 52AC**

**SDS ID: MAN-013**

NIOSH:	potential occupational carcinogen
<b>Carbon black</b>	<b>1333-86-4</b>
ACGIH:	A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans
IARC:	Monograph 93 [2010] ; Monograph 65 [1996] (Group 2B (possibly carcinogenic to humans))
DFG:	Category 3B (could be carcinogenic for man ;inhalable fraction )
OSHA:	Present
NIOSH:	potential occupational carcinogen

Results of a DuPont epidemiology study showed that employees who had been exposed to titanium dioxide pigments were at no greater risk of developing lung cancer than were employees who had not been exposed to titanium dioxide pigments. No pulmonary fibrosis was found in any of the employees and no associations were observed between titanium dioxide pigment exposure and chronic respiratory disease or lung abnormalities. Based on the results of this study, DuPont concluded that titanium dioxide pigment will not cause lung cancer or chronic respiratory disease in humans at concentrations experienced in the workplace.

**Germ Cell Mutagenicity**

May cause genetic defects.

**Tumorigenic Data**

No information on significant adverse effects.

**Reproductive Toxicity**

No information on significant adverse effects.

**Specific Target Organ Toxicity - Single Exposure**

respiratory system.

**Specific Target Organ Toxicity - Repeated Exposure**

No target organs identified.

**Aspiration hazard**

May be harmful if swallowed and enters airways.

**Medical Conditions Aggravated by Exposure**

No data available.

**Section 12 - ECOLOGICAL INFORMATION**

**Ecotoxicity**

May cause long lasting harmful effects to aquatic life.

**Component Analysis - Aquatic Toxicity**

<b>Naphtha, petroleum, hydrotreated heavy</b>	<b>64742-48-9</b>
Fish:	LC50 96 h Pimephales promelas 2200 mg/L
<b>Talc</b>	<b>14807-96-6</b>
Fish:	LC50 96 h Brachydanio rerio >100 g/L [semi-static ]

**Section 13 - DISPOSAL CONSIDERATIONS**



# Safety Data Sheet

Material Name: Manus Bond 52AC

SDS ID: MAN-013

## Disposal Methods

Dispose in accordance with all applicable federal, state/regional and local laws and regulations

## Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

## Section 14 - TRANSPORT INFORMATION

### US DOT Information:

**Shipping Name:** HYDROCARBONS, LIQUID, N.O.S. , ( Contains: Naphtha (petroleum), hydrotreated heavy )

**Hazard Class:** 3

**UN/NA #:** UN3295

**Packing Group:** III

**Required Label(s):** 3

### IATA Information:

**Shipping Name:** HYDROCARBONS, LIQUID, N.O.S. , ( Contains: Naphtha (petroleum), hydrotreated heavy )

**Hazard Class:** 3

**UN#:** UN3295

**Packing Group:** III

**Required Label(s):** 3

### IMDG Information:

**Shipping Name:** HYDROCARBONS, LIQUID, N.O.S. , ( Contains: Naphtha (petroleum), hydrotreated heavy )

**Hazard Class:** 3

**UN#:** UN3295

**Packing Group:** III

**Required Label(s):** 3

### TDG Information:

**Shipping Name:** HYDROCARBONS, LIQUID, N.O.S. , ( Contains: Naphtha (petroleum), hydrotreated heavy )

**Hazard Class:** 3

**UN#:** UN3295

**Packing Group:** III

**Required Label(s):** 3

### International Bulk Chemical Code

This material contains one or more of the following chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

<b>Titanium dioxide</b>	<b>13463-67-7</b>
IBC Code:	Category Z (slurry )

## Section 15 - REGULATORY INFORMATION

### U.S. Federal Regulations

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

### SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

Flammable; Carcinogenicity; Acute toxicity; Specific Target Organ Toxicity; Germ Cell Mutagenicity

### U.S. State Regulations

# Safety Data Sheet

**Material Name: Manus Bond 52AC**

**SDS ID: MAN-013**

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
<b>Calcium carbonate</b>	<b>1317-65-3</b>	No	Yes	Yes	Yes	Yes
<b>Talc</b>	<b>14807-96-6</b>	Yes	Yes	Yes	Yes	Yes
<b>Titanium dioxide</b>	<b>13463-67-7</b>	No	Yes	Yes	Yes	Yes
<b>Carbon black</b>	<b>1333-86-4</b>	Yes	Yes	Yes	Yes	Yes

**California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)**



**WARNING**

This product can expose you to chemicals including Titanium dioxide, Carbon black , which are known to the State of California to cause cancer. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

<b>Titanium dioxide</b>	<b>13463-67-7</b>
Carc:	carcinogen , 9/2/2011 (airborne, unbound particles of respirable size )
<b>Carbon black</b>	<b>1333-86-4</b>
Carc:	carcinogen , 2/21/2003 (airborne, unbound particles of respirable size )

**Canada Regulations**

**Canadian WHMIS Ingredient Disclosure List (IDL)**

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

<b>Carbon black</b>	<b>1333-86-4</b>
	1 %

**Component Analysis - Inventory**

**Calcium carbonate (1317-65-3)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW	VN (Draft)
Yes	NSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes

**Naphtha, petroleum, hydrotreated heavy (64742-48-9)**

US	CA	EU	AU	PH	JP -	JP -	KR	KR	KR -	CN	NZ	MX	TW	VN
----	----	----	----	----	------	------	----	----	------	----	----	----	----	----

# Safety Data Sheet

**Material Name: Manus Bond 52AC**

**SDS ID: MAN-013**

					ENCS	ISHL	KECI - Annex 1	KECI - Annex 2	REACH CCA					(Draft)
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	No	Yes	Yes	Yes	Yes	Yes

**Talc (14807-96-6)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW	VN (Draft)
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	Yes	Yes	Yes

**Titanium dioxide (13463-67-7)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW	VN (Draft)
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes

**Carbon black (1333-86-4)**

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW	VN (Draft)
Yes	DSL	EIN	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes

**Section 16 - OTHER INFORMATION**

**Preparation Date**

8/13/2018

**Key / Legend**

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania\*; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport

# Safety Data Sheet

**Material Name: Manus Bond 52AC**

**SDS ID: MAN-013**

Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL) , KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX – Mexico; Ne- Non-specific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL – Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH- Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; Sc - Semi-quantitative; STEL - Short-term Exposure Limit; TCCA – Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW – Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada).

## **Other Information**

### **Disclaimer:**

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.